ELSEVIER

General Subjects

Vol. 1199, 1994

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors vii

Regular Papers

Study of structure-activity relationship of fasciculin by acetylation of amino groups
C. Červeñanský, Å. Engström and E. Karlsson (Uruguay, Sweden) 1

Oxidative stress modifies the activity of cardiac sarcolemmal phospholipase C
J.T.A. Meij, S. Suzuki, V. Panagia and N.S. Dhalla (Canada) 6

Cellular protein receptors of maculosin, a host specific phytotoxin of spotted knapweed (*Centaurea maculosa* L.)
S.H. Park and G.A. Strobel (USA) 13

Effect of cAMP on the association of small GTP-binding proteins with the cytoskeleton of human platelets
G. Ramaschi, C. Balduini, M. Torti and F. Sinigaglia (Italy) 20

Analysis and modelling of the structures of β-cyclodextrin complexes
A.M.C. Myles, D.J. Barlow, G. France and M.J. Lawrence (UK) 27

Glycosylation reactions in *Plasmodium falciparum*, *Toxoplasma gondii*, and *Trypanosoma brucei brucei* probed by the use of synthetic peptides
A. Dieckmann-Schuppert, E. Bause and R.T. Schwarz (FRG) 37

Abnormal metabolism of *S*-adenosyl-L-methionine in hypoxic rat liver. Similarities to its abnormal metabolism in alcoholic cirrhosis
R.K. Chawla and D.P. Jones (USA) 45

Barley β-glucosidase: Expression during seed germination and maturation and partial amino acid sequences
G. Simos, C.A. Panagiotidis, A. Skoumbas, D. Choli, C. Ouzounis and J.G. Georgatsos (Greece, Germany) 52

Conformational changes of bovine serum albumin upon its adsorption in dodecane-in-water emulsions as revealed by front-face steady-state fluorescence
C. Castelain and C. Genot (France) 59

Involvement of phospholipids in the intoxication mechanism of botulinum neurotoxin
Y. Kamata, Y. Kimura and S. Kozaki (Japan) 65

Isolation and characterization of TsTX-V, a new neurotoxin from *tityus serrulatus* scorpion venom which delays the inactivation of NA^+ channels
E.C. Arantes, F.R. Neto, S.V. Sampaio, C.A. Vieira and J.R. Giglio (Brazil) 69

Retinoic acid inhibition of thyroxine binding to human transthyretin
T.J. Smith, F.B. Davis, M.R. Deziel, P.J. Davis, D.B. Ramsden and M. Schoenl (USA, UK) 76

Chemical modification of arginine and lysine residues in coenzyme-binding domain of carbonyl reductase from rabbit kidney: indomethacin affords a significant protection against inactivation of the enzyme by phenylglyoxal
T. Higuchi, Y. Imamura and M. Otagiri (Japan) 81

Production and characterization of monoclonal antibodies directed against bovine milk fat globule membrane (MFGM)
N. Aoki, H. Kuroda, M. Urabe, Y. Taniguchi, T. Adachi, R. Nakamura and T. Matsuda (Japan) 87

The cell wall polysaccharide of *Actinoplanes* sp. INA 3697 composed of 2-acetamido-2-deoxy-β-D-mannopyranosyl-(1 → 3)-2-acetamido-2-deoxy-α-D-glucopyranosyl 1-phosphate repeating units
A.S. Shashkov, G.M. Streshinskaya, I.B. Naumova, L.P. Terekhova and I.V. Alferova (Russia) 96

Rapid Report

Acute effects of insulin-like growth factor-I (IGF-I) on bone protein synthesis in rats
A.J. Martínez, M. Pascual and J. Larralde (Spain) 101

Regular Papers

Molecular resolution atomic force microscopy of soluble proteins in solution
J. Yang, J. Mou and Z. Shao (USA) 105

NMR and dynamical simulated annealing studies on the solution conformation of Urotensin II
R. Bhaskaran, A.I. Arunkumar and C. Yu (Republic of China) 115

Some biochemical properties of melanins from opioid peptides
M.A. Rosei, L. Mosca, R. Coccia, C. Blarzino, G. Musci and C. De Marco (Italy) 123

Modulation of branched-chain 2-oxo acid dehydrogenase complex activity in rat skeletal muscle by endurance training
H. Fujii, Y. Shimomura, K. Tokuyama and M. Suzuki (Japan) 130

Evidence for production of platelet-activating factor by yeast *Saccharomyces cerevisiae* cells
R. Nakayama, H. Kumagai and K. Saito (Japan) 137

DNA topoisomerases from *Streptomyces noursei*: Influence of coumarins and quinolones on the enzymic activity
K. Störl, J. Störl, M. Roth and C. Zimmer (Germany) 143

Quantification of protein turnover in primary cultures of rat hepatocytes
P. Elsner, J. Dich and N. Grunnet (Denmark) 157

Hepatic metabolism during constant infusion of fructose; comparative studies with ^{31}P-magnetic resonance spectroscopy in man and rats
S. Masson, O. Henriksen, A. Stengaard, C. Thomsen and B. Quistorff (Denmark) 166

Enhanced intracellular stability and efficacy of PEG modified dextranase in the treatment of a model storage disorder
S. Mumtaz and B.K. Bachhawat (India) 175

Purification and characterization of calmodulin (lysine 115) *N*-methyltransferase from *Paramecium tetraurelia*
L.L. Pech and D.L. Nelson (USA) 183

Effect of fasting and thyroidectomy on cysteine proteinase activities in liver and muscle
R. Belkhou, D. Béchet, Y. Cherel, M. Galluser, M. Ferrara and Y. Le Maho (France) 195

Physicochemical characterization of PEG-PPG conjugated human urokinase
J.-i. Kajihara, K. Shibata, Y. Nakano, S. Nishimuro and K. Kato (Japan) 202

G_{M2} ganglioside activator occurs in multiple forms
A. Novak and J.A. Lowden (Canada) 209

Classification of disorders of G_{M2} ganglioside hydrolysis using ^{3}H-G_{M2} as substrate
A. Novak, J.W. Callahan and J.A. Lowden (Canada) 215

Proteolysis of human native and oxidised α_1-proteinase inhibitor by matrilysin and stromelysin
Z. Zhang, P.G. Winyard, K. Chidwick, G. Murphy, M. Wardell, R.W. Carrell and D.R. Blake (UK) 224

Effects of structural modifications on the photosensitizing properties of dialkylcarbocyanine dyes in homogeneous and heterogeneous solutions
M. Krieg, J.M. Bilitz, M.B. Srichai and R.W. Redmond (USA) 149

Regular Papers

Acidic polysaccharides of the ascidian *Styela plicata*. Biosynthetic studies on the sulfated L-galactans of the tunic, and preliminary characterization of a dermatan sulfate-like polymer in body tissues
M.S.G. Pavão, M.A. Rodrigues and P.A.S. Mourão (Brazil) 229

Modulation of plasma and hepatic oxidative status and changes in plasma lipid profile by n-3 (EPA and DHA), n-6 (corn oil) and a 3-thia fatty acid in rats
A. Demoz, D.K. Asiedu, Ø. Lie and R.K. Berge (Norway) 238

The time-course of mixed disulfide formation between GSH and proteins in rat blood after oxidative stress with *tert*-butyl hydroperoxide
P. Di Simplicio and R. Rossi (Italy) 245

HOCGO and DMACGO. Two coumarin derived α-dicarbonyls suitable as pH and polarity sensitive fluorescent reporters for proteins that can be targeted at reactive arginines
K. Baburaj, N. Azam, D. Udgaonkar and S. Durani (India) 253

Spermine-mediated casein kinase II-uptake by rat liver mitochondria
L. Bordin, F. Cattapan, G. Clari, A. Toninello, N. Siliprandi and V. Moret (Italy) 266

The fundamental unit of synthetic melanin: a verification by tunneling microscopy of X-ray scattering results
G.W. Zajac, J.M. Gallas, J. Cheng, M. Eisner, S.C. Moss and A.E. Alvarado-Swaisgood (USA) 271

Regulation of prolyl oligopeptidase activity in regenerating rat liver
N. Yamakawa, H. Shimeno, S. Soeda and A. Nagamatsu (Japan) 279

DNA cleavage by Cu(II)-desferal: identification of C1′-hydroxylation as the initial event for DNA damage
R.R. Joshi, S.M. Likhite, R.K. Kumar and K.N. Ganesh (India) 285

The multienzyme complex containing nine aminoacyl-tRNA synthetases is ubiquitous from *Drosophila* to mammals
P. Kerjan, C. Cerini, M. Sémériva and M. Mirande (France) 293

Zonation of gluconeogenesis from lactate and pyruvate in the rat liver studied by means of anterograde and retrograde bivascular perfusion
A. Bracht, J. Constantin, E.L. Ishii-Iwamoto and F. Suzuki-Kemmelmeier (Brazil) 298

Ascorbic acid-2-0-β-glucuronide, a new metabolite of vitamin C identified in human urine and uremic plasma
P. Gallice, F. Sarrazin, M. Polverelli, J. Cadet, Y. Berland and A. Crevat (France) 305

Rapid Report

Cloning and sequencing of the gene for type I carboxypeptidase in rice
K. Washio and K. Ishikawa (Japan) 311

Erratum 315

Cumulative Contents, Vol. 1199 317

Author Index 320